

INDEX MAPS.

T. 3N, R. 4E. 2nd Mer.

	235-237	235-237	236-237	236-237	236-237	236						
239	6	263	5	257	4	253	3	248	2	243	1	235
	263	262	257	252	248	243						
239	7	262	8	256	9	252	10	247	11	243	12	234
	262	261	256	252	246	242						
239	18	261	17	255	16	251	15	246	14	242	13	234
	261	260	255	251	246	242						
238	19	260	20	255	21	250	22	246	23	241	24	234
	260	259	254	250	245	241						
238	30	259	29	254	28	249	27	245	26	240	25	233
	258	258	253	249	244	240						
238	31	258	32	253	33	249	34	244	35	240	36	233
	231-233	231-233	231-232	231-232	231-232	232						

T. 4N, R. 4E. 2nd Mer.

	269-272	269-271	270-271	270-271	270-271	270						
274	6	294	5	289	4	286	3	282	2	278	1	269
	294	294	289	285	282	277						
273	7	293	8	289	9	285	10	281	11	277	12	268
	293	293	288	285	281	277						
273	18	293	17	288	16	284	15	281	14	276	13	268
	292	292	288	284	280	276						
273	19	292	20	287	21	284	22	280	23	276	24	268
	291	291	287	283	279	275						
272	30	291	29	287	28	283	27	279	26	275	25	267
	290	290	286	283	279	274						
272	31	290	32	286	33	282	34	278	35	274	36	267
	265-267	265-267	265-266	265-266	265-266	266						

The figures on the lines refer to the page.

Township N. 4 North, Range N. 4 E. T. Mer. Indiana

South Boundary.

East On Rand. S. boundary of Sec. 31, T4 N. R4 E.
 40.00 Set temp. q. Sec. post
 42.00 a Brook 10 lks. wide Course South
 68.00 a Spring run Course South
 80.00 Set a post temp. Cor.
 This mile over broken Land timber Oak,
 Hickory & Beech.

East On Rand. S. boundary of Sec. 32, T4 N. R4 E.
 40.00 Set temp. q. Sec. post
 60.00 a Brook 10 lks. wide Course S. E.
 79.00 a do 10 " " " N. E.
 80.00 Set temp. q. Sec. post
 Land timber &c. Same as on the last Mile

East On Rand. S. boundary of 33, T4 N. R4 E.
 40.00 Set temp. q. Sec. post
 41.50 a Brook 10 lks. wide Course N.
 80.00 Set temp. q. Sec. post
 Land timber &c. Same as on the last Mile

East On Random S. boundary of Sec. 34, T4 N. R4 E.
 40.00 Set temp. q. Sec. post
 51.50 a Brook 10 lks. wide Course N. E.
 75.00 a Creek 100 " " " N. E.
 80.00 Set the temp. q. Mile post
 Land timber &c. Same as on the last Mile

East On Random S. boundary of Sec. 35, T4 N. R4 E.
 17.50 a Brook 10 lks. wide Course North
 40.00 Set temp. q. Sec. post
 56.50 a Brook 15 lks. wide Course North

T4N R4E. 2. Mer. Indiana

80.00 Set a post Cor. to Secs 35 & 36, temporarily
Land timber &c same as on the last mile

East on Random S. boundary of Sec. 36, T4N. R4E.

40.00 Set temp. q. Sec. post

85.76 Intersected the ct. & S. line 5.00 chs. S. of Town-
Corner. Very Hilly Land high hills.

West On true line S. boundary of Sec. 36, T4N. R4E.

40.00 Set the q. Sec. post on true line, from which
a Beech 8 in. dia. bears S 82° W 10 chs. dist. &
a W. Oak 15 " " " N 12° E 5 " "

81.00 Set a post Cor. to Secs 35 & 36, T4N. R4E, from which
a B. Oak 10 in. dia. bears N 15° W 14 chs. dist. &
a Do 8 " " " S 16° W 23 " "

West On true line S. boundary of Sec. 35, T4N. R4E.

40.00 Set the q. Sec. post on true line, from which
a Maple 40 in. dia. bears S 48° W 35 chs. dist. &
a Beech 15 " " " S 88° E 39 " "

80.00 Set a post Cor. to Secs 34 & 35, T4N. R4E, from which
a Beech 10 in. dia. bears S 7° E 20 chs. dist. &
a Sugar 10 " " " N 7° W 10 " "

West On true line S. boundary of S. 34 T4N. R4E.

40.00 Set the q. Sec. post on true line, from which
a Sugar 15 in. dia. bears S 40° W 11 chs. dist. &
a Beech 4 " " " N 15° W 11 " "

80.00 a W. Oak 10 " " Cor. to Secs 33 & 34, T4N. R4E.

West On true line S. boundary of Sec. 33, T4N. R4E.

40.00 Set the q. Sec. post on true line, from which
a Dogwood 6 in. dia. bears N 20° W 1 ch. dist. &

Lot N R 4 E. 2^d Mer. Indiana

a Beech 8 in. dia. bears S 49° 13' E 13 chs. dist. &
 80.00 Set a post Cor. to Sec. 32 & 33, T 4 N. R 4 E, from which
 a Beech 5 in. dia. bears S 21° E 6 chs. dist. &
 an Ironwood 6 " " " S 76° 11' " "

West On true line S. boundary of Sec. 32, T 4 N. R 4 E,
 40.00 Set the q. Sec. post on true line, from which
 a Beech 10 in. dia. bears S 87° 11' 2 chs. dist. &
 a Poplar 15 " " " S 7° E 5 " "
 80.00 Set a post Cor. to Sec. 31 & 32, T 4 N. R 4 E. from which
 a W. Oak 18 in. dia. bears S 86° 11' 19 chs. dist. &
 a Beech 10 " " " N 26° E 14 " "

West On true line S. boundary of Sec. 31, T 4 N. R 4 E,
 80.00 Set the q. Sec. post on true line, from which
 a B. Oak 10 in. dia. bears N 12° 11' 9 chs. dist. &
 a do 12 " " " N 76° E 12 " "
 85.76 to the Township Corner. Sept. 29th 1816.—

East Boundary

North On E. boundary of Sec. 36, T 4 N. R 4 E.
 40.00 Set the q. Sec. post, from which
 a W. Walnut 5 in. dia. bears S 31° E 20 chs. dist. &
 a Mulberry 12 " " " S 45° 11' 29 " "
 57.65 a W. Ash 10 " "
 80.00 Set a post Cor. to Sec. 25 & 36, from which
 a Beech 10 in. dia. bears N 48° E 3 chs. dist. &
 a do 5 " " " S 70° 11' 8 " "
 Very hilly broken Soil, timb. Oak & Hickory

North On E. boundary of Sec. 25, T 4 N. R 4 E.
 40.00 Set the q. Sec. post, from which
 a Beech 20 in. dia. bears S 27° 11' 13 chs. dist. &

T4N R4E. 2^d Mer. Indiana

an Elm 24 in. diam. bray N49 E 24 lks. dist.
 45.50 a Creek 200 lks. wide Course N 80 W
 64.00 Same 200 lks. " " N. E.
 73.00 a Beech 20 in. diam.
 80.00 Set a post Cor. to Sec. 24 & 25, from which
 a W. Oak 15 in. diam. bray N 39 E 8 lks. dist.
 a Beech 15 " " " N 39 W 25 " "
 Good farming land

North On E. boundary of Sec. 24, T4N. R4E.
 12.50 a Creek 200 lks. wide Course W.
 40.00 Set the q. Sec. post, from which
 a Beech 20 in. diam. bray N 13 W 11 lks. dist.
 a W. Ash 6 " " " N 33 W 21 " "
 64.05 a Beech 24 " "
 80.00 Set a post Cor. to Sec. 13 & 24, from which
 a Beech 10 in. diam. bray S 22 E 22 lks. dist.
 a Ho 6 " " " N 34 W 10 " "
 Good farming land timber Beech, Oak & Hickory.

North On E. boundary of Sec. 13, T4N. R4E.
 4.40 a W. Oak 20 in. diam.
 40.00 Set the q. Sec. post, from which
 a Beech 20 in. diam. bray N 56 W 7 lks. dist.
 a Ho 6 " " " S 33 E 4 " "
 80.00 Set a post Cor. to Sec. 12 & 13, from which
 a Beech 20 in. diam. bray N 40 E 24 lks. dist.
 a Ho 10 " " " N 49 W 22 " "
 Level Beech, timbered land

North On E. boundary of Sec. 12, T4N. R4E.
 6.15 a W. Oak 30 in. diam.
 23.00 a Brook 10 lks. wide Course west

269

T4N R4E 2nd Mer. Indiana

- 35.00 at Brook 18 th wide Course S.W.
 40.00 Let the q. Sec. post, from which
 a Beech 10 in. dia. bray N 70 W 17 th dist. of
 an Ash 7 " " " S 22 W 12 1/2 " "
 80.00 Let a post Cor. to Sect 1 of 12, from which
 a Beech 4 in. dia. bray S 55 E 4 th dist. of
 a Do 13 " " " N 55 W 28 " "
 Sand timber &c. Same as on the last mile

North On E. boundary of Sec. 1, T4N R4E.

- 21.75 at Brook 10 th wide Course S.W.
 22.40 a W. Oak 20 in. dia.
 31.50 at Brook 10 th wide Course S.E.
 37.00 a Do 10 " " " S.W.
 40.00 Let the q. Sec. post, from which
 a Beech 10 in. dia. bray N 57 W 15 th dist. of
 a Do 15 " " " N 1 W 12 1/2 " "
 80.00 Let a post Cor. to Township N. 4 of 5 North
 Range N. 4 of 5 East, from which
 a Beech 20 in. dia. bray S 12 E 23 th dist. of
 a Do 20 " " " N 61 W 35 " "
 Sand timber &c. Same as on the last mile

North Boundary

- East On Rand^m S. boundary of Sec. 31, T5N R4E.
 40.00 Let temp. q. Sec. post
 80.00 Let temp. Sec. post. Over rich level
 Oak & Hickory timbered land

East On Rand^m S. boundary of Sec. 32, T5N R4E.

- 40.00 Let temp. q. Sec. post
 80.00 Let temp. Sec. post
 Sand timber &c. Same as on the last mile

T4N R4E 2^d Mer. Indiana

East Outland^m S. boundary of Sec. 33, T5N. R4E.

27.00 a Spring Course S. E.

32.25 a Spring run 5th wide Course S. E.

35.00 a " 5 " " " S. W.

40.00 Let temp^y. of Sec. post

80.00 Let temp^y. Sec. post. Level Oak &

Hickory timbered land

East Outland^m S. bound^y. of Sec. 34, T5N. R4E.

11.00 at Brook 10th wide Course South

40.00 Let temp^y. of Sec. post

43.00 at Brook 20th wide Course South

50.00 at Brook 50th " " S. W.

80.00 Let temp^y. Sec. post

Land timber &c. same as on the last mile

East Outland^m S. bound^y. of Sec. 35, T5N. R4E.

10.50 at Brook 10th wide Course S. W.

40.00 Let temp^y. of Sec. post

80.00 Let temp^y. Sec. post. This mile over
very thin broken Soil, timber Oak hills
very high.

East Outland^m S. bound^y. of Sec. 36, T5N. R4E.

40.00 Let temp^y. of Sec. post

79.19 Intersected the N. & S. line 440th S. of
the town Corner. Land level timber
Peech, September 30th 1806.

West Outline S. boundary of Sec. 36, T5N. R4E

40.00 Let the of Sec. post, from which

a W. Oak 20 in dia. bray S 30 E 6 1/2th dist. of

a W. Oak 15 " " " N 30 W 5 " "

T4N R4E 2nd Mer. Indiana

271

80.00 Let a post Cor. to Sect. 35 & 36, T5N, R4E, from which
a P Oak 10 in. diam. bran N27W24 lks. dist. of
a Beech 6 " " " N56W21 " "

West On true line S. boundary of Sec. 35, T5N, R4E.

40.00 Let the q. Sec. post on true line, from which
a W. Oak 12 in. diam. bran N57W37 lks. dist. of
a Do 15 " " " N30E26 " "

80.00 Let a post Cor. to Sect. 34 & 35, T5N, R4E, from which
a Beech 10 in. diam. bran N9E21 lks. dist. of
a P. Oak 40 " " " N4E27 " "

West On true line S. boundary of Sec. 34, T5N, R4E.

40.00 Let the q. Sec. post on true line, from which
a Beech 10 in. diam. bran N17W25 lks. dist. of
a Do 10 " " " N40E8 " "

80.00 Let a post Cor. to Sect. 33 & 34, T5N, R4E, from which
a Beech 6 in. diam. bran N82E20 lks. dist. of
a Do 6 " " " N10E19 " "

West On true line S. boundary of Sec. 33, T5N, R4E.

40.00 Let the q. Sec. post on true line, from which
a Hickory 10 in. diam. bran N60W20 lks. dist. of
a P. Oak 15 " " " N10W10 " "

80.00 Let a post Cor. to Sect. 32 & 33, T5N, R4E, from which
a W. Oak 15 in. diam. bran N83W35 lks. dist. of
a P. Oak 20 " " " N52E18 " "

West On true line S. boundary of Sec. 32, T5N, R4E.

40.00 Let the q. Sec. post on true line, from which
a P. Oak 20 in. diam. bran N27W33 lks. dist. of
a Hickory 10 " " " N53E33 " "

80.00 Let a post Cor. to Sect. 31 & 32, T5N, R4E, from which

4th N. R. 4 E. T. Mer. Indiana

a Hickory 10 in. diam. bearing S 64 E 12 lks. dist. of
a Do 8 " " " N 26 W 17 " "

West Outline S. boundary of Sec. 31, 4th N. R. 4 E.
40.00 At the q. Sec. post on true line, from which
a Hickory 10 in. diam. bearing N 78 E 11 lks. dist. of
a W. Oak 12 " " " S 78 W 11 " "
79.19 to township Corner.

West Boundary.

North On E. boundary of Sec. 36, 4th N. R. 3 E.
40.00 At the q. Sec. post, from which
a P. Oak 10 in. diam. bearing N 1 E 17 lks. dist. of
a Do 12 " " " S 20 W 29 " "
66.80 a W. Oak 15 " "
80.00 Set a post cor. to Sec. 25 & 36, 4th N. R. 3 E, from which
a Hickory 10 in. diam. bearing S 52 E 9 lks. dist. of
a Dogwood 5 " " " S 32 W 2 " "
This mile over broken Oak timbered land

North On E. boundary of Sec. 25, 4th N. R. 3 E.
3.04 a Beech 15 in. diam.
40.00 At the q. Sec. post from which
a Maple 10 in. diam. bearing S 30 E 13 lks. dist. of
a Hickory 10 " " " N 60 W 11 " "
48.45 a Maple 15 " "
58.50 a run 10 lks. wide course N. E.
67.00 a Brook 15 lks. " " " N. E.
80.00 Set a post Cor. to Sec. 24 & 25, 4th N. R. 3 E, from which
a Sugar 6 in. diam. bearing S 20 E 8 lks. dist. of
a Beech 6 " " " N 39 W 17 " "
Last half mile over level Beech land

T4 N. R4 E. T. Mer. Indiana

North On E. boundary of Sec. 24, T4 N. R3 E.

1.50 at Brook 10 ths. wide Course East

11.50 a Ho 10 " " " N.W.

18.50 at Brook 350 ths. wide Course W. (Musackituck R.)

27.55 at Beech 15 in. dia.

40.00 Let the q. Sec. post, from which

at Beech 20 in. dia. bray S49 E 4 ths. dist. of

a Hickory 10 " " " S65 W 13 " "

70.65 a B. Oak 40 " "

80.00 Let a post Cor. to Sec. 13 & 24, T4 N. R3 E. from which

at Beech 10 in. dia. bray S60 E 8 ths. dist. of

a Ho 10 " " " S80 W 12 1/2 " "

This mile over good level Beech timbered land

North On E. boundary of Sec. 13, T4 N. R3 E.

5.50 at Brook 5 ths. wide Course S.W.

28.50 at Beech 15 in. dia.

40.00 Let the q. Sec. post, from which

at Beech 6 in. dia. bray S52 W 16 ths. dist. of

a Gum 20 " " " S14 W 11 " "

70.10 a W. Oak 20 " "

80.00 Let a post Cor. to Sec. 12 & 13, T4 N. R3 E. from which

at Beech 20 in. dia. bray S2 E 29 ths. dist. of

a Ho 24 " " " S57 W 17 " "

Level Beech timbered land, undg. Spec

North On E. boundary of Sec. 12, T4 N. R3 E.

40.00 Let the q. Sec. post, from which

a Hickory 20 in. dia. bray N85 E 16 1/2 ths. dist. of

a Dogwood 6 " " " N55 W 3 " "

66.15 a W. Oak 15 " "

80.00 Let a post Cor. to Sec. 1 & 12, T4 N. R3 E. from which

a Dogwood 6 in. dia. bray S60 E 2 ths. dist. of

T4 N R4 E. 2nd Mer. Indiana

a W. Oak 10 in. diam. bears S 57 W 19 lks. dist.
Over bushy level Oak timbered land

North On E. boundary of Sec. 1, T4 N, R3 E.

40.00 Set the q. Sec. post, from which
a Hickory 20 in. diam. bears S 45 W 14 lks. dist. &
a P. Oak 10 " " " N 42 W 7 " "

80.00 Set a post cor. to Town 4 & 5 North, Range 3 &
4 East, from which
a P. Oak 40 in. diam. bears S 50 E 32 lks. dist. &
a Beech 10 " " " S 60 W 29 " "
This mile over level Oak and Hickory timber.
Land very bushy.

Surveyed by Arthur Henric, Dep. Surv.

Subdivision May 9th 1807 var. 6.40. E.

North Between Sec. 35 & 36, T4 N, R4 E.

40.00 Set the q. Sec. post, from which
a Beech 5 in. diam. bears S 25 E 18 lks. dist. &
a Hickory 12 " " " N 52 W 7 " "

80.00 Set a post cor. to Sec. 25, 26, 35 & 36, from which
a P. Gum 14 in. diam. bears N 4 W 3 lks. dist. &
a W. Oak 11 " " " N 10 E 24 " "

Land very hilly 3rd rate soil, timber Oak,
Beech, Poplar &c. very poor farming land

East On Range between Sec. 25 & 36, T4 N, R4 E. var. 6.40. E.

40.00 Set temp. q. Sec. post

69.50 a Brook 6 lks. wide Course N. E.

78.04 Intersected the E. boundary 210 lks. S. of the post
The 1st 1/2 mile very hilly - the last 1/2 very level
timber Beech, Poplar, Oak &c. the last half mile
good farming land - the 1st 1/2 m. 3rd rate timber. Oak &c.

275

T4 N. R4 E. 2nd Mer. Indiana

West On true line between Sec. 25 & 36, T4 N. R4 E.
 39.12 Set of Sec. post at average dist. from which
 a Maple 18 in. dia. bray N27W24k. dist. of
 a Beech 24 " " " N23E38 " "
 78.04 to Sec. Corner

North Between Sec. 25 & 26, T4 N. R4 E. var. 8.10'E.
 40.00 Set the of Sec. post, from which
 a Sugar 27 in. dia. bray N46E24k. dist. of
 a Ho 10 " " " N16W26 " "
 68.50 a Creek 300 k. wide Course West. This Creek
 is navigable for boats of any size
 80.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which
 a W. Oak 20 in. dia. bray N86E28k. dist. of
 a L. Gum 15 " " " S78E19 " "
 The 1st 1/2 mile very hilly - the last very flat
 and swampy, poor farming land

May 13th 1877 var. 8.00'E

East On Rand^m between Sec. 24 & 25, T4 N. R4 E.
 39.00 a Creek 50 k. wide Course South, dead water
 40.00 Set temp. of Sec. post.
 46.92 to the Muscabitucko river 200 k. wide S. W.
 80.37 Intersected the E. boundary 209 k. S. of post.
 This mile river bottom low & wet, timber Beech
 Oak, Hickory, Ash &c.

West On true line between Sec. 24 & 25, T4 N. R4 E.
 40.18 Set of Sec. post at average dist. from which
 a W. Oak 17 in. dia. bray S24W17k. dist. of
 a Beech 14 " " " N4W26 " "
 80.37 to Sec. Corner

T4N R4E. 2^d Mer. Indiana

North Between Secs. 23 & 24, T4N. R4E. var. 6.40'E
 40.00 Let the q. Sec. post, from which
 an Elm 27 in. dia. bear S 5 E 42 lks. dist. of
 a Do 18 " " " N 54 W 18 " "
 48.00 a Creek 30 lks. wide course S. E.
 62.50 a Do 30 " " " S. W.
 65.50 a Do 30 lks. " " S. E.
 68.00 a Do 30 " " " S. W.
 71.00 a Do 30 " " " S. E.
 80.00 Let a post Cor. to Secs. 13, 14, 23 & 24, from which
 a Poplar 32 in. dia. bear S 5 E 26 lks. dist. of
 a Beech 14 " " " N 14 E 53 " "
 The 1st 1/2 mile low & wet the last 1/2 mile good
 farming land Beech, Ash, Poplar, Oak & some
 Birch timber

East On Land 7^m between Secs. 13 & 24, T4N. R4E. var. 8. E.
 40.00 Let temp. q. Sec. post
 80.38 Intersected the E. boundary 258 lks. S. of post
 The 1st 1/2 mile good farming land very level -
 the last 1/2 rather wet & swampy - some part
 of it timber same as on last mile

West Outline between Secs. 13 & 24, T4N. R4E.
 40.19 Let q. Sec. post at average dist. from which
 a Beech 20 in. dia. bear S 4 W 10 lks. dist. of
 a Do 18 " " " N 49 W 14 " "
 80.38 to Sec. Corner

North Between Secs. 13 & 14, T4N. R4E. var. 6.40'E
 10.00 a Creek 30 lks. wide course S. W.
 40.00 Let the q. Sec. post, from which
 a Beech 10 in. dia. bear S 83 E 13 lks. dist. of

T4N R4E 2^d Mer. Indiana

277

a Beech 11 in. diam. beam S58^W 22 lbs. dist.
 80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
 a Beech 10 in. diam. beam S59^W 24 lbs. dist. of
 a Do 8 " " " N50^E 12 " "
 This mile very level the principal timber
 is Beech, some Poplar, Elm, Ash, Oak &c.
 good farming land

East On Rand. betw. Sec. 12 & 13, T4N R4E. var. 10. E
 40.00 Set temp. q. Sec. post
 49.00 a Creek 30 lbs. wide Course South
 81.12 Intersected the N & S. line 3 1/4 lbs. S. of post
 The 1 1/2 mile level - the last a little rolling
 timber same, good farming land

West On true line between Sec. 12 & 13, T4N R4E.
 40.56 Set q. Sec. post at average dist. from which
 a Maple 18 in. diam. beam N7^E 15 lbs. dist. of
 a Sycamore 8 " " " N13^E 7 " "
 81.12 to Sec. Corner.

North Between Sec. 11 & 12, T4N R4E.
 40.00 Set the q. Sec. post, from which
 a P. Gum 18 in. diam. beam S7^W 24 lbs. dist. of
 a Beech 9 " " " N14^W 5 " "
 80.00 Set a post cor. to Sec. 1, 2, 11 & 12, from which
 a Beech 9 in. diam. beam S15^W 9 lbs. dist. of
 a Do 18 " " " N15^E 30 " "
 Land a little rolling, timber same good
 farming land

East On Rand. betw. Sec. 1 & 12, T4N R4E. var. 11. E
 40.00 Set temp. q. Sec. post

Sec. 1 R4 E. 2nd Mer. Indiana

- 57.00 a Creek 30 lks. wide Course S.E.
 58.50 a Do 30 lks. " " N.W.
 61.50 a Do 30 " " " S.E.
 81.88 Intersected the E. boundary 146 lks. S. of post
 Sand timber &c. same as last mile, good fam. land

- West On true line between Sec. 1 of 12, T4 N. R4 E.
 40.94 Set of. Sec. post, at average dist. from which
 a Beech 20 in. dia. bears S 42° W 11 lks. dist. of
 a Do 14 " " " N 35 E 51 " "
 81.88 to Sec. Corner.

- North Between Sec. 1 of 2, T4 N. R4 E.
 40.00 Set the of. Sec. post from which
 a B. Oak 30 in. dia. bears N 52° W 10 lks. dist. of
 a W. Oak 10 " " " N 46 E 29 " "
 84.61 Intersected the N. boundary 156 lks. N. of post
 Set a post Cor. to Sec. 1 of 2, from which
 a W. Oak 12 in. dia. bears S 70 E 20 lks. dist. of
 a Ch. Oak 9 " " " N 6 W 32 " "
 Sand hilly & poor

- May 10th 1807. var. 5° 10' E
 North Between Sec. 34 of 35, T4 N. R4 E
 11.50 a Creek 50 lks. wide Course N.E.
 18.50 a Do 50 " " " N.W.
 37.50 a Do 50 " " " N.E.
 40.00 Set the of. Sec. post, from which
 a Poplar 18 in. dia. bears S 11° W 9 lks. dist. of
 a Sugar 18 " " " N 82 E 7 " "
 80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
 a W. Ash 7 in. dia. bears N 72° W 7 lks. dist. of
 a Beech 6 " " " S 75 E 18 " "

S. N. R. & E. 2nd Mer. Indiana

279

This Mile Creek bottom level and good farming Land
Beech Sugar Poplar Gum ash &c.

East On Brandon between Secs. 26 & 35, S. 4 N. R. 4 E.
0.50 a Creek 60 lks. wide Course N. E.
40.00 Set temp. y. g. Sec. post
80.05 Intersected the N. & S. line 95 S. of post.
the first 1/2 Mile Creek Bottom the rest Hilly & poor.

West On true line between Secs. 26 & 35, S. 4 N. R. 4 E.
40.02 Set g. Sec. post. at average dist. from which
a Beech 12 in. dia. bears N. 22 W 9 lks. dist. &
a Do 9 " " " S. 3 W 26 " "
80.05 To Section Corner

North Between Secs. 26 & 27, S. 4 N. R. 4 E.
9.00 a Creek 70 lks. wide Course S. W.
20.00 a do 70 " " " N. E.
32.00 a do 70 " " " N. W.
40.00 Set the g. Sec. post. from which
a post in a Creek 70 lks. wide Course E. from which
an Elm 18 in. dia. bears North 65 lks. dist.
80.00 Set a post Cor. To Secs. 22, 23, 26 & 27. from which
a B. Ash 9 in. dia. bears N. E. 13 lks. dist. &
a W. Ash 9 " " " S. W 9 " "
the first 1/2 Mile Creek Bottom and good farming
Land the last 1/2 Mile a dead level & rather swampy

East On Brandon between Secs. 23 & 26 S. 4 N. R. 4 E. v. 7 E.
40.00 Set temp. y. g. Sec. post
40.04 a Creek 250 lks. wide Course N. W.
47.13 a Sugar 6 in. dia.
80.52 Intersected the N. & S. line 100 lks. N. of post

T4 N. R4 E. 2^d. Mer. Indiana

this Mile a dead level and rather Swampy. timber
Oak Hickory ash Gum & middling good farming Land

West On true line between Sec. 23 & 26, T4 N. R4 E.
40.26 Set of Sec. post at average dist. from which
a B. Oak 4 in. dia. bears N53 W 14 lks. dist. &
a Hickory 15 " " " S25 E 10 " "
80.52 To Section Corner

North Between Sec. 22 & 23, T4 N. R4 E. var. 7° 00' E
40.00 Set the of Sec. post, from which
a B. Oak 13 in. dia. bears S65 E 13 lks. dist. &
a Do 12 " " " N61 W 41 " "
55.80 a Creek 250 lks. wide Course N. W.
this Creek is navigable for boats
80.00 Set a post Corner to Sec. 14, 15, 22 & 23, from which
a W. ash 13 in. dia. bears S88 W 37 lks. dist. &
a Beech 10 " " " N73 E 45 " "
this Mile river bottom, the first 1/2 Mile low & wet -
the last 1/2 Mile good farming Land timber Beech,
Ash, Hickory Oak &c.

East On Rand^m. between Sec. 14 & 23, T4 N. R4 E.
40.00 Set temp. of Sec. post
80.50 a Creek 30 lks. wide Course South
81.50 Intersected the N & S. line 88 lks. S. of post
Land very low & wet middling good meadow land

West On true line between Sec. 14 & 23, T4 N. R4 E.
40.75 Set of Sec. post at average dist. from which
a W. Ash 8 in. dia. bears N46 E 16 lks. dist. &
a Hickory 22 " " " N84 W 10 " "
81.50 to Sec. Corner.

T4N R4E. 2^d. Mer. IndianaMay 16th. 1807 var. 6th. 00th. E

North Between Sec. 14 & 15, T4N R4E.

18.50 a Brook 6 lks. wide Course S. E.

40.00 Let the q. Sec. post, from which
a Beech 9 in. dia. bray S 28 W 7 lks. dist. of
a Hickory 9 " " " N 15 E 29 " "80.00 Let a post Cor. to Sec. 10, 11, 14 & 15, from which
a Beech 10 in. dia. bray S 69 E 12 lks. dist. of
a Hickory 10 " " " N 69 W 25 " "This mile very level, timber Beech, Oak
Hickory, Poplar &c. Good farming land.East On Land betw. Sec. 10 & 14, T4N R4E. var. 8th. E.

25.50 a Brook 6 lks. wide Course S. E.

40.00 Let the q. Sec. post temporary

80.87 Intersected the N & S. line 46 lks. S. of post
Land very level, timber same, low & wet
muddling farming land

West On true line between Sec. 10 & 14, T4N R4E

40.43 Let q. Sec. post at average dist. from which
a Beech 7 in. dia. bray N 65 E 22 lks. dist. of
a Do 7 " " " S 42 W 15 " "

80.87 to Sec. Corner

North Between Sec. 10 & 11, T4N R4E. var. 6th. 00th. E.

40.00 Let the q. Sec. post, from which

a Chest. Oak 20 in. dia. bray N 76 W 23 lks. dist. of
a Do 12 " " " East 9 " "80.00 Let a post Cor. to Sec. 2, 3, 10 & 11, from which
a Beech 14 in. dia. bray N 9 E 18 lks. dist. of
a Poplar 27 " " " S 29 W 24 " "
This mile 3^d. rate hilly, poor farming land

T4 N. R4 E. 2^d. Mer. Indiana
var. 8700. E.

East On land between Sec. 2 & 11, T4 N. R4 E.

40.00 Let temp. q. Sec. post

80.90 Intersected the N. & S. line 34 lks. S. of post

The first $\frac{3}{4}$ of this mile 3^d rate land, hilly - the last $\frac{1}{4}$ level good farming land

West On true line between Sec. 2 & 11, T4 N. R4 E.

40.45 Let q. Sec. post at average dist. from which
a Chestnut 20 in. diam. bear S 68 $^{\circ}$ W 38 lks. dist. of
a Ches. Oak 9 " " " N 58 $^{\circ}$ E 25 " "

80.90 to Sec. Corner.

North Between Sec. 2 & 3, T4 N. R4 E.

1.00 a Small Brook Course West

9.00 a. Do. Do. " West

40.00 Let the q. Sec. post, from which

a W. Oak 20 in. diam. bear S 66 $^{\circ}$ W 14 lks. dist. of

a Do. 10 " " " " N 41 $^{\circ}$ E 30 " "

83.56 Intersected the N. boundary 246 lks. West of post

Let a post, Cor. to Sec. 2 & 3, from which

a P. Oak 24 in. diam. bear S 32 $^{\circ}$ W 24 lks. dist. of

a Sassafras 7 " " " N 78 $^{\circ}$ E 39 " "

Land hilly & poor 3^d rate farming land.

North Between Sec. 33 & 34, T4 N. R4 E, var. 7 $^{\circ}$ 20. E

40.00 Let the q. Sec. post, from which

a P. Oak 7 in. diam. bear N 64 $^{\circ}$ W 8 lks. dist. of

a Hickory 14 " " " N 45 $^{\circ}$ E 49 " "

80.00 Let a post (in a creek 20 lks. wide course N. E.)

Cor. to Sec. 27, 28, 33 & 34, from which

a Beech 20 in. diam. bear N 18 $^{\circ}$ E 25 lks. dist. of

a Do 18 " " " S 31 $^{\circ}$ E 27 " "

third rate hills.

T4 N. R4 E. 2^d. Mer. Indiana

East Outland^m between Sec. 27 & 34, T4 N. R4 E.
 40.00 Set temp^y. q^r. Sec. post
 78.95 Intersected the N & S. line 116 lks. S. of post
 1¹/₂ mile very hilly & poor - the last ¹/₂ mile very
 level & swampy, poor farming land

West Outline between Sec. 27 & 34, T4 N. R4 E.
 39.47 Set q^r. Sec. post at average dist. from which
 a Beech 20 in. diam. bran N 85 E 15 lks. dist. of
 a Do 10 " " " N 64 W 40. " "
 78.95 to Sec. Corner.

North Between Sec. 27 & 28, T4 N. R4 E. var. 8. 20. E
 40.00 Set the q^r. Sec. post, from which
 a Hickory 13 in. diam. bran N 55 E 13 lks. dist. of
 a Do 9 " " " N 44 W 17 " "
 80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
 a W. Oak 30 in. diam. bran S 35 E 24 lks. dist. of
 a W. Oak 14 " " " N 35 W 24 " "
 Land very level & rather swampy, timber Oak
 Ash, ~~Green Elm~~, Hickory &c. poor farming land

East Outland^m between Sec. 22 & 27, T4 N. R4 E.
 40.00 Set temp^y. q^r. Sec. post
 78.90 Intersected the N & S. line 40 lks. S. of post
 This mile level, timber same rather swampy
 good meadow land

West Outline between Sec. 22 & 27, T4 N. R4 E.
 39.45 Set q^r. Sec. post at average dist. from which
 a Hickory 15 in. diam. bran S 38 E 6 lks. dist. of
 a Do 18 " " " N 82 W 23 " "
 78.90 to Sec. Corner

T4N R4E. 2^d. Mer. Indiana

North Between Secs. 21 & 22, T4N R4E, var. 7.10.E.

40.00 Set the gr. Sec. post, from which

a Beech 12 in. dia. bear S 73 E 21 lks. dist. of

a Do 10 " " " N 61 W 14 " "

65.50 to the Muscatituck River 220 lks. wide course N.

67.70 an Elm 10 in. dia.

80.00 Set a post Cor. to Secs. 15, 16, 21 & 22, from which

an Elm 27 in. dia. bear S 49 W 7 lks. dist. of

a W. Beech 6 " " " N 37 E 24 " "

The 1st 1/2 mile the same - the last 1/2 very good timber Beech, Oak, Ash &c. good farming land

East On Land 8th between Secs. 15 & 22, T4N R4E, var. 8.E

17.34 to the River 250 lks. wide Course S N.

20.00 a Brook 6 lks. wide Course North

40.00 Set temp. gr. Sec. post

78.91 Intersected the N & S. line 110 lks. S. of post

This mile River bottom, timber Beech, Ash, Sugar &c. good farming land

West On true line between Secs. 15 & 22, T4N R4E.

39.45 1/2 Set gr. Sec. post at average dist. from which

a Beech 20 in. dia. bear N 39 E 2 lks. dist. of

a Hickory 30 " " " N 19 W 29 " "

78.91 to Sec. Corner

North Between Secs. 15 & 16, T4N R4E.

40.00 Set the gr. Sec. post, from which

a Beech 10 in. dia. bear S 83 E 14 lks. dist. of

a Do 10 " " " N 57 W 14 " "

80.00 Set a post Cor. to Secs. 9, 10, 15 & 16, from which

a W. Oak 30 in. dia. bear S 18 W 6 lks. dist. of

a Do 27 " " " S 80 E 14 " "

T4N R4E. 2nd Mer. Indiana

This (mile) river bottom, the principal timber is Beech, some Poplar, Ash, Hickory Oak &c. good farming land.

East On Rand^m. betwⁿ. Sec^s. 10 & 15, T4N R4E. var. 8th E.

40.00 Set temp^y. q^r. Sec. post

78.83 Intersected the N & S. line 11/2 m. S. of post
Land timber &c. same as on the last (mile)

West On true line between Sec^s. 10 & 15, T4N R4E.

39.41 1/2 Set q^r. Sec. post at average dist. from which
a Hickory 7 in. dia. bray N 25 W 24 lbs. dist. of
a Beech 15 " " " S 11 W 15 " "

78.83 to Section Corner.

North Between Sec^s. 9 & 10, T4N R4E. var. 6th 30' E

15.50 a Brook 15 lbs. wide Course S. W.

40.00 Set the q^r. Sec. post, from which
a W. Oak 18 in. dia. bray S 49 W 2 lbs. dist. of
a Do 15 " " " N 40 E 25 " "

80.00 Set a post Cor. to Sec^s. 3, 4, 9 & 10, from which
a Ches^t. Oak 18 in. dia. bray S 12 W 25 lbs. dist. of
a P. Oak 24 " " " N 12 E 20 " "

The 1st 1/2 mile same as last (mile), & the last 1/2 mile hilly & poor.

East On Rand^m. betwⁿ. Sec^s. 3 & 10, T4N R4E.

40.00 Set temp^y. q^r. Sec. post

79.45 Intersected the N & S. line 2 1/2 m. S. of post
This (mile) knobby and poor, the last half through a small bottom

West On true line between Sec^s. 3 & 10, T4N R4E.

39.72 1/2 Set the q^r. Sec. post at average dist. from which
a Beech 27 in. dia. bray S 17 W 30 lbs. dist. of
a Sugar 9 " " " N 23 E 48 " "

T4N R4E. 2nd Mer. Indiana

79.45 to Sec. Corner

North Between Secs. 3 & 4, T4N R4E var. 6.20'E

21.50 a small Brook Course West

40.00 at the gr. Sec. post, from which

a Beech 16 in. dia. beam S 30° W 8 lks. dist. of

a Do 16 " " " N 89° W 25 " "

47.00 at Brook 20 lks. wide Course W.

81.80 intersected the N. Boundary 308 lks. N. of

post - set a post Cor. to Secs. 3 & 4, from which

a W. Oak 18 in. dia. beam S 58° E 14 lks. dist. of

a Do 24 " " " N 71° W 25 " "

The 1st 1/2 mile hilly & part rolling - the last
1/2 mile level, timber Oak, Beech, Hickory
Poplar &c. not very good farming land.

May 11th 1807. variation 7.30'E

North Between Secs. 32 & 33, T4N R4E.

40.00 at the gr. Sec. post, from which

a W. Oak 18 in. dia. beam S 3° E 22 lks. dist. of

a Do 20 " " " N 30° E 22 " "

75.00 a small Brook Course East

80.00 set a post Cor. to Secs. 28, 29, 32 & 33, from which

a Beech 20 in. dia. beam N 5° E 24 lks. dist. of

a Do 18 " " " N 13° W 41 " "

Land very hilly, timber Oak, Beech, Poplar &c.
Poor farming land

East On Rand. betw. Secs. 28 & 33, T4N R4E. var. 9° E.

40.00 set temp. gr. Sec. post

78.33 intersected the N. & S. line 108 lks. N. of post

The 1st 1/2 mile hilly & the last 1/2 creek bottom

Timber principally Beech, some Sugar, Oak,
ash &c. - the last 1/2 mile middling good farm land

West On true line between Secs. 28 & 33, T4N R4E

T4 N. R4 E. 2.^d Mer. Indiana

39.16² Set q.^r Sec. post at average dist. from which
an Ironwood 12 in. dia. bear N 81° W 14 kts. dist. of
a Dogwood 9 " " " S 41° E 30 " "
78.33 to Sec. Corner.

North Between Sec. 28 & 29, T4 N. R4 E. var. 8° 30' E

40.00 Set the q.^r Sec. post, from which
a Beech 12 in. dia. bear N 81° E 27 kts. dist. of
a Do 14 " " " " N 68° W 37 " "

80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which
a Hickory 13 in. dia. bear S 29° E 33 kts. dist. of
a W. Oak 27 " " " " N 25° W 31 " "

The 1.st 1/2 mile hilly rich Soil & middling farming
land - the last 1/2 river bottom low & wet, timber
Oak, Hickory & Swamp Ash &c

East On Rand. between Sec. 21 & 28, T4 N. R4 E.

40.00 Set temp. q.^r Sec. post

77.70 Intersected the N & S. line 10 kts. S. of post
this mile swampy covered with water
timber Ash, Oak, Hickory, Elm &c. poor
farming land.

West On true line between Sec. 21 & 28, T4 N. R4 E.

38.85 Set q.^r Sec. post at average dist. from which
a W. Oak 27 in. dia. bear S 80° E 7 kts. dist. of
a Do 24 " " " " S 28° W 19 " "

77.70 to Sec. Corner

North Between Sec. 20 & 21, T4 N. R4 E.

40.00 Set the q.^r Sec. post, from which
a W. Oak 18 in. dia. bear S 72° W 16 kts. dist. of
a Beech 10 " " " " N 77° E 3 " "

80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which
a W. Oak 36 in. dia. bear N 70° E 14 kts. dist. of
a Do 30 " " " " S 70° W 26 " "

T4 N. R4 E. 2^d. Mer. Indiana

This mile river bottom rich and good farming land, timber Beech, Ash, Poplar, Elm, Oak &c.

East On Land 9^m. betw. Sec. 16 of 21, T4 N. R4 E.

40.00 Set temp. p. q. Sec. post

64.79 to the River

67.31 a Sycamore 10 in. diam.

78.14 Intersected the N of S. line 30 lks. S. of post
Land, timber &c. same as on the last mile

West On true line between Sec. 16 of 21, T4 N. R4 E.

39.07 Set q. Sec. post at average dist. from which
a Beech 8 in. diam. bears N47°W 14 lks. dist. of
a do 3 " " " Applies the place of a post

78.14 to Sec. Corner

North Between Sec. 16 of 17, T4 N. R4 E. var. 6.30 E

40.00 Set this q. Sec. post (in the river) from which
a Sugar 11 in. diam. bears South 76 lks. dist. of

52.00 a Creek 50 lks. wide Course S.E.

53.50 a do 50 lks. " " S.W.

57.00 a do 50 lks. " " S.E.

62.50 a do 50 lks. " " S.W.

80.00 Set a post cor. to Sec. 8, 9, 16 of 17, from which a
Sugar 6 in. diam. bears N41°W 6 lks. dist. of
a do 7 " " " N15°E 10 "

This mile River bottom, timber Beech, Sugar
Oak, Ash, and good farming land

May 18th 1897. variation 8.00 E

East On Land 9^m. between Sec. 9 of 16, T4 N. R4 E.

2.00 a Brook 4 lks. wide Course South

5.00 a Creek 40 lks. " " S.W.

8.50 a do 40 lks. " " S.W.

15.00 a do 40 lks. " " S.W.

40.00 Set temp. p. q. Sec. post

T4N R4E 2^d Mer. Indiana.

78.33 Intersected the N. of S. line 55 lbs. N. of post
Land a little rolling, timber same good farming land

West On true line between Sec. 9 & 16, T4N R4E.
39.16 1/2 Set g. Sec. post at average dist. from which
a W. Oak 18 in. diam. bears S 79 E 9 lbs. dist. of
a Beech 5 " " " N 79 W 5 " "

78.33 to Sec. Corner

North Between Sec. 8 & 9, T4N R4E. var. 6° 40' E
40.00 Set the g. Sec. post from which
a Beech 15 in. diam. bears S 84 E 1 1/2 lbs. dist. of
a Do 14 " " " N 64 W 11 " "

80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
a W. Oak 24 in. diam. bears S 15 E 1 1/2 lbs. dist. of
a S. Gum 12 " " " N 14 E 7 " "

Land timber &c. same as on the last mile

East On Rand. betw. Sec. 4 & 9, T4N R4E

40.00 Set temp. g. Sec. post

42.50 a small brook course South

49.00 a Brook 20 lbs. wide course S.E.

78.82 Intersected the N. of S. line 132 lbs. N. of post
The 1st 1/2 mile level - the last half hilly, in
the 1st 1/2 mile timber same the last Chestnut
Oak &c. 3^d rate Soil

West On true line between Sec. 4 & 9, T4N R4E
39.41 Set g. Sec. post at average dist. from which
a W. Oak 7 in. diam. bears N 20 E 38 lbs. dist. of
a Do 24 " " " S 29 W 27 " "

78.82 to Sec. Corner

North Between Sec. 4 & 5, T4N R4E, var. 7° 20' E

40.00 Set the g. Sec. post, from which
a W. Oak 18 in. diam. bears N 54 W 8 lbs. dist. of

T4N R4E 2nd Mer. Indiana

78.88 a W. Oak 15 in. dia. bear S 62 E 5 lks. dist.
 Intersected the N. boundary 2 1/2 lks. N. of
 post, set a post Cor. to Sec. 4 & 5, from which
 a W. Oak 15 in. dia. bear N 40 W 19 lks. dist. of
 a B. Oak 24 " " " N 64 E 4 1/2
 This mile a little rolling the principal timber
 is Oak, good wheat land.

North Between Sec. 31 & 32, T4N R4E.

May 12th 1807. variation 7.40' E.
 40.00 Set the q. Sec. post from which
 a Beech 10 in. dia. bear N 40 W 7 lks. dist. of
 a Do 11 " " " South 35 " "
 80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 11 in. dia. bear N 88 E 4 lks. dist. of
 a Sugar 11 " " " S 32 W 24 " "
 This mile level it keeps the dividing ridge
 rich Soil, timber Beech, Sugar, Poplar
 ash, Walnut &c good farming land

East On Ran 8th between Sec. 29 & 32, T4N R4E. var. 8.5' E

40.00 Set temp. q. Sec. post
 70.00 a small brook comes S.E.
 79.14 Intersected the N of S. line at the post exactly
 Land hilly & poor

West On true line between Sec. 29 & 32, T4N R4E.

39.57 Set q. Sec. post at average dist. from which
 a Hickory 20 in. dia. bear N 64 E 6 lks. dist. of
 a Sugar 10 " " " N 1 E 38 " "
 79.14 to Sec. Corner.

West Between Sec. 30 & 31, T4N R4E.

40.00 Set the q. Sec. post, from which
 a Chestnut 10 in. dia. bear N 27 W 34 lks. dist. of
 a B. Oak 27 " " " N 36 E 60 " "

T4N R4E 2nd Mer. Indiana

83.79 Intersected the N. boundary 8 1/2 lks. N. of post,
 let a post Cor. to Sec. 30 & 31, from which
 a P. Oak 14 in. dia. bears North 18 lks. dist. of
 a Beech 5 " " " South 11 " "
 Land hilly & poor for farming.

North Between Sec. 29 & 30, T4N R4E.
 40.00 Let the q. Sec. post, from which
 a Hickory 18 in. dia. bears N 59 W 27 lks. dist. of
 a Chest. Oak 20 " " " S 87 E 37 " "
 80.00 Let a post Cor. to Sec. 19, 20, 29 & 30, from which
 a Beech 24 in. dia. bears S 46 W 14 lks. dist. of
 a Do 15 " " " N 47 E 14 " "
 Land hilly & poor

East On Rand^m between Sec. 20 & 29, T4N R4E.
 40.00 Left temp. q. Sec. post
 79.30 Intersected the N & S line 12 lks. N. of post
 The first 1/2 mile hilly & 3rd rate soil - the last
 1/2 mile River bottom low & wet poor land

West On true line between Sec. 20 & 29, T4N R4E.
 39.65 Let q. Sec. post at average dist. from which
 a Chest. Oak 18 in. dia. bears N 85 E 6 lks. dist. of
 a Do 24 " " " S 61 W 26 " "
 79.30 to Sec. Corner

West Between Sec. 19 & 30, T4N R4E.
 40.00 Let the q. Sec. post, from which
 a Sugar 14 in. dia. bears S 66 W 15 lks. dist. of
 a Beech 24 " " " N 18 W 48 " "
 80.20 Intersected the N. boundary 12 1/2 lks. North
 of post - let a post Cor. to Sec. 19 & 30, from which
 a Beech 6 in. dia. bears S 2 W 15 lks. dist. of
 a Do 24 " " " N 17 E 65 " "
 The 1 1/2 mile 3rd rate hilly, the last River

T4N - R4E. 2^d Mer. Indiana
bottom rich land

North Between Secs. 19 & 20, T4N. R4E. var. 7.30'E
30.58 to the river 300 lks. wide Course West
33.90 a Hickory 12 in. dia.
40.00 Set the q. Sec. post, from which
a Beech 8 in. dia. bears S 32° W 13 lks. dist. of
an Elm 20 " " " N 64° E 18 " "
80.00 Set a post Cor. to Secs. 17, 18, 19 & 20, from which
a Beech 10 in. dia. bears S 70° E 14 lks. dist. of
a Hickory 12 " " " N 60° W 25 " "
This (mile) River bottom, timber Beech, Poplar,
Ash, Elm &c. good farming land

West On Land^m. between Secs. 17 & 20, T4N. R4E.
36.70 to the River
39.66 a W. Ash 18 in. dia.
40.00 Set temp. q. Sec. post
79.11 Intersected the N & S. line 15 lks. S. of post
Land & timber same good farming land

East On true line between Secs. 17 & 20, T4N. R4E.
39.55 1/2 Set q. Sec. post at average dist. from which
a W. Ash 24 in. dia. bears S 48° W 13 lks. dist. of
a Hickory 14 " " " N 32° E 17 " "
79.11 to Section Corner

West Between Secs. 18 & 19, T4N. R4E.
May 19th 1807. variation 8.00'E
40.00 Set the q. Sec. post, from which
a Beech 6 in. dia. bears S 36° E 13 lks. dist. of
a Sugar 10 " " " N 62° W 17 " "
78.17 Intersected the W. boundary 149 lks. N. of post
Set a post Cor. to Secs. 18 & 19, from which
a Beech 5 in. dia. bears N 74° E 21 lks. dist. of
a Do 10 " " " N 88° W 16 " "

T4 N. R4 E. 2^d. Mer. Indiana

Land timber &c. same as on the last mile

North Between Sec. 17 & 18, T4 N. R4 E. var. 6.40'E

40.00 Let the q. Sec. post, from which
a B. Gum 12 in. dia. bear N 39 W 15 lks. dist. of
a Poplar 40 " " " N 43 E 31 " "80.00 Let a post cor. to Sec. 7, 8, 17 & 18, from which
a Beech 18 in. dia. bear S 33 W 21 lks. dist. of
a Do 9 " " " N 22 E 28 " "

Land & timber same, good farming land level

East On Rand^m. between Sec. 8 & 17, T4 N. R4 E.

40.00 Let temp. q. Sec. post

79.90 Intersected the N & S. line 4 lks. S. of post
This (mile) level, timber Beech, Sugar, Poplar
ash, Oak &c. good farming land

West On true line between Sec. 8 & 17, T4 N. R4 E.

39.95 Let q. Sec. post at average dist. from which
a W. Oak 20 in. dia. bear S 53 W 10 lks. dist. of
a Hickory 10 " " " N 79 E 22 " "

79.90 to Sec. Corner.

West Between Sec. 7 & 18, T4 N. R4 E.

40.00 Let the q. Sec. post, from which
a Beech 15 in. dia. bear S 72 E 48 lks. dist. of
a Do 14 " " " N 37 W 8 " "77.67 Intersected the W. boundary 202 lks. N. of post
Let a post cor. to Sec. 7 & 18, from which
a S. Gum 10 in. dia. bear N 30 W 7 lks. dist. of
a Maple 22 " " " S 82 E 32 " "
The 1st 1/2 mile level - the last rolling, timber
same middling good farming landMay 20th 1807

North Between Sec. 7 & 8, T4 N. R4 E.

T4 N. 124 E. 2^d. Mer. Indiana

40.00 Let the gr. Sec. post, from which
a P. Oak 36 in. dia. bears N 27 E 5 lbs. dist. of
a W. Oak 15 " " " N 68 W 46 " "

80.00 Let a post Cor. to Sec. 5, 6, 7 & 8, from which
a P. Oak 27 in. dia. bears N 34 W 7 lbs. dist. of
a Do 30 " " " N 2 E 25 " "

This mile middling level timber principally
Oak good farming land - Sandy Soil

East On Land 9th between Sec. 5 & 8, T4 N. 124 E.

40.00 Let temp. gr. Sec. post

80.14 Intersected the N of S. line 3 lbs. S. of post
Land timber &c. same as on the last mile

West On true line between Sec. 5 & 8, T4 N. 124 E.

40.07 Let gr. Sec. post at average dist. from which
a P. Gum 24 in. dia. bears N 34 W 11 lbs. dist. of
a Poplar 11 " " " N 8 E 8 " "

80.14 to Sec. Corner.

West Between Sec. 6 & 7, T4 N. 124 E. var. 8.00. E

40.00 Let the gr. Sec. post, from which
a W. Oak 12 in. dia. bears S 8 W 23 lbs. dist. of
a Do 18 " " " N 17 W 37 " "

77.03 Intersected the W. boundary 260 lbs. N. of post
Let a post Cor. to Sec. 6 & 7, from which
a W. Oak 18 in. dia. bears N 32 E 27 lbs. dist. of
a Do 34 " " " N 19 W 45 " "

This mile rolling, or small rises, timber
same, sandy soil, good farming land

North Between Sec. 5 & 6, T4 N. 124 E. var. 6.00. E

40.00 Let the gr. Sec. post, from which
a P. Oak 14 in. dia. bears S 52 E 35 lbs. dist. of
a Do 27 " " " N 46 W 40 " "

75.00 a small brook crosses West

T4. N. R4 E. 2.^d Mer. Indiana

78.12 Intersected the N. boundary 252 lks. West of
 post Set a post Cor. to Sect. 5 & 6, from which
 a Hickory 10 in. diam. bears S 89 E 17 lks. dist. of
 a Do 6 " " " N 89 W 11 " "
 Land, timber &c. same as on the last mile
 Surveyed by William Harris, D. S.

Comp.

I certify that the foregoing transcript of field notes of
 Township N. 4 North, of Range N. 4 East 2.^d Meridian
 Indiana, has been Comp. with the original notes
 in this Office, and found to be correct.
 Surveyor General's Office
 Cincinnati, June 19th 1844

W. S. Peair
 Sur. Gen.